



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/6236284  
Dated/दिनांक : 15-05-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-06-2025 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-06-2025 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Bureau Of Energy Efficiency
क्रेता ईमेल/Buyer Email	deepak.suri@beeindia.gov.in
Total Quantity/कुल मात्रा	12800
Item Category/मद केटेगरी	DC Electric Vehicle Charging Station (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	10 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	10 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

<b>Bid Details/बिड विवरण</b>	
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	10 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	DC Electric Vehicle Charging Station
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	6 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	9702000000
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Item wise evaluation/
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the

completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Estimated Value</b>	<b>Item/Category</b>	<b>Quantity</b>
Schedule 1	5175000000	Dc Electric Vehicle Charging Station	5000
Schedule 2	2140000000	Dc Electric Vehicle Charging Station	5000
Schedule 3	550000000	Dc Electric Vehicle Charging Station	1000
Schedule 4	584000000	Dc Electric Vehicle Charging Station	800
Schedule 5	875000000	Dc Electric Vehicle Charging Station	500

Schedule 6	378000000	Dc Electric Vehicle Charging Station	500
------------	-----------	--------------------------------------	-----

**DC Electric Vehicle Charging Station ( 5000 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Capacity of DC Charger</b>	<=30 kW
Interface	<b>User Authentication</b>	RFID (Radio Frequency Identification), QR-Code Scanning, OTP based authentication by user for self servicing
	<b>Interface</b>	Ethernet, GSM - 3G (SIM support - machine to machine type), GSM - 4G (SIM support - machine to machine type), GSM - 5G (SIM support - machine to machine type), OCPP based Mobile App Interface, CMS based Mobile App Interface
	<b>All future upgradation with latest version user authentication and user interface protocols till the completion of warranty period included in scope of supply</b>	Yes
Backup Power	<b>Battery Backup in case of failure of Input Supply, this will include the complete control system, billing units</b>	60.0 - 120.0 Or higher ( <b>minute</b> )
	<b>In case of drain out, the data logs should automatically be synched with CMS (Customer Management System) during backup</b>	Yes
DC Output	<b>Type of Charger</b>	CCS2 (Combined Charging System)
	<b>Charging Output</b>	DC
	<b>Total Number of Output Ports per charger</b>	1, 2, 3 Or higher
	<b>Power factor</b>	0.98 Or higher
Splitter	<b>Splitter</b>	Splitter, for splitting the power output between Guns, which will allow automatic load distributions between the charging guns, i,e when only one gun is connected to the EV then the charger will dispense the follow outpost of full capacity to the EV and when more than one the charging guns are connected then the charger will be able to do auto load sequencing with equal load sharing between the connectors. Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Metering	<b>Independent DC Energy Meter for each output and cumulative</b>	Yes
Memory	<b>Number of Logs</b>	50.0 Or higher
	<b>Number of Charging Transactions</b>	50.0 Or higher
Construction	<b>Thickness of Material of Sheet used for Panels and Enclosures in mm</b>	1.0 - 1.5 Or higher ( <b>millimeter</b> )
	<b>Display Type</b>	LCD, LED Or higher
	<b>Display Size</b>	7, 9, 10, 12 Or higher ( <b>inch</b> )
	<b>Display</b>	KWhr consumed while charging
Warranty	<b>Warranty</b>	1, 2, 3, 4, 5 Or higher ( <b>year</b> )
	<b>Battery Warranty</b>	1, 2, 3, 4, 5 Or higher ( <b>year</b> )

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Anil Kumar Rai	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	5000	30

### DC Electric Vehicle Charging Station ( 5000 pieces )

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Capacity of DC Charger</b>	<=30 kW
Interface	<b>User Authentication</b>	RFID (Radio Frequency Identification), QR-Code Scanning, Auto Charge through Vehicle MAC (Media Access Control) ID

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Interface</b>	Ethernet, GSM - 3G (SIM support - machine to machine type), GSM - 4G (SIM support - machine to machine type), OCPP based Mobile App Interface, CMS based Mobile App Interface
	<b>All future upgradation with latest version user authentication and user interface protocols till the completion of warranty period included in scope of supply</b>	Yes
Backup Power	<b>Battery Backup in case of failure of Input Supply, this will include the complete control system, billing units</b>	30.0 - 120.0 Or higher ( <b>minute</b> )
	<b>In case of drain out, the data logs should automatically be synched with CMS (Customer Management System) during backup</b>	Yes
DC Output	<b>Type of Charger</b>	CCS2 (Combined Charging System)
	<b>Charging Output</b>	DC
	<b>Total Number of Output Ports per charger</b>	1, 2, 3 Or higher
	<b>Power factor</b>	0.98 Or higher
Splitter	<b>Splitter</b>	Splitter, for splitting the power output between Guns, which will allow automatic load distributions between the charging guns, i,e when only one gun is connected to the EV then the charger will dispense the follow outpost of full capacity to the EV and when more than one the charging guns are connected then the charger will be able to do auto load sequencing with equal load sharing between the connectors., NA Or higher
Metering	<b>Independent DC Energy Meter for each output and cumulative</b>	Yes
Memory	<b>Number of Logs</b>	50.0 Or higher
	<b>Number of Charging Transactions</b>	50.0 Or higher
Construction	<b>Thickness of Material of Sheet used for Panels and Enclosures in mm</b>	1.5 - 1.5 Or higher ( <b>millimeter</b> )
	<b>Display Type</b>	LCD, LED Or higher
	<b>Display Size</b>	7, 9, 10, 12 Or higher ( <b>inch</b> )
	<b>Display</b>	Total KWHr consumed ( Totaliser) - On selection thru key pad/touchscreen

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Warranty	Warranty	1, 2, 3, 4, 5 Or higher (year)
	Battery Warranty	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Anil Kumar Rai	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	5000	30

### DC Electric Vehicle Charging Station ( 1000 pieces )

Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Capacity of DC Charger	>30 kW<=60 kW
Interface	User Authentication	RFID (Radio Frequency Identification), QR-Code Scanning, OTP based authentication by user for self servicing, Auto Charge through Vehicle MAC (Media Access Control) ID
	Interface	Ethernet, GSM - 3G (SIM support - machine to machine type), GSM - 4G (SIM support - machine to machine type), GSM - 5G (SIM support - machine to machine type), OCPP based Mobile App Interface, CMS based Mobile App Interface
	All future upgradation with latest version user authentication and user interface protocols till the completion of warranty period included in scope of supply	Yes
Backup Power	Battery Backup in case of failure of Input Supply, this will include the complete control system, billing units	15.0 - 120.0 Or higher (minute)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>In case of drain out, the data logs should automatically be synched with CMS (Customer Management System) during backup</b>	Yes
DC Output	<b>Type of Charger</b>	CCS2 (Combined Charging System)
	<b>Charging Output</b>	DC
	<b>Total Number of Output Ports per charger</b>	1, 2, 3 Or higher
	<b>Power factor</b>	0.98 Or higher
Splitter	<b>Splitter</b>	Splitter, for splitting the power output between Guns, which will allow automatic load distributions between the charging guns, i,e when only one gun is connected to the EV then the charger will dispense the follow outpost of full capacity to the EV and when more than one the charging guns are connected then the charger will be able to do auto load sequencing with equal load sharing between the connectors. Or higher
Metering	<b>Independent DC Energy Meter for each output and cumulative</b>	Yes
Memory	<b>Number of Logs</b>	50.0 Or higher
	<b>Number of Charging Transactions</b>	50.0 Or higher
Construction	<b>Thickness of Material of Sheet used for Panels and Enclosures in mm</b>	1.5 - 1.5 Or higher <b>(millimeter)</b>
	<b>Display Type</b>	LCD, LED Or higher
	<b>Display Size</b>	7, 9, 10, 12 Or higher <b>(inch)</b>
	<b>Display</b>	KWhr consumed while charging
Warranty	<b>Warranty</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>
	<b>Battery Warranty</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anil Kumar Rai	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1000	30

### DC Electric Vehicle Charging Station ( 800 pieces )

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Capacity of DC Charger</b>	>30 kW<=60 kW, >60 kW<=120 kW
Interface	<b>User Authentication</b>	RFID (Radio Frequency Identification), QR-Code Scanning, OTP based authentication by user for self servicing
	<b>Interface</b>	Ethernet, GSM - 3G (SIM support - machine to machine type), GSM - 4G (SIM support - machine to machine type), OCPP based Mobile App Interface, CMS based Mobile App Interface
	<b>All future upgradation with latest version user authentication and user interface protocols till the completion of warranty period included in scope of supply</b>	Yes
Backup Power	<b>Battery Backup in case of failure of Input Supply, this will include the complete control system, billing units</b>	30.0 - 120.0 Or higher ( <b>minute</b> )
	<b>In case of drain out, the data logs should automatically be synched with CMS (Customer Management System) during backup</b>	Yes
DC Output	<b>Type of Charger</b>	GB/T Charger, CHAdeMO, DC001, CCS2 (Combined Charging System)
	<b>Charging Output</b>	DC
	<b>Total Number of Output Ports per charger</b>	2, 3 Or higher
	<b>Power factor</b>	0.98 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Splitter	<b>Splitter</b>	Splitter, for splitting the power output between Guns, which will allow automatic load distributions between the charging guns, i.e when only one gun is connected to the EV then the charger will dispense the follow outpost of full capacity to the EV and when more than one the charging guns are connected then the charger will be able to do auto load sequencing with equal load sharing between the connectors. Or higher
Metering	<b>Independent DC Energy Meter for each output and cumulative</b>	Yes
Memory	<b>Number of Logs</b>	50.0 Or higher
	<b>Number of Charging Transactions</b>	50.0 Or higher
Construction	<b>Thickness of Material of Sheet used for Panels and Enclosures in mm</b>	1.0 - 1.5 Or higher <b>(millimeter)</b>
	<b>Display Type</b>	LCD, LED Or higher
	<b>Display Size</b>	7, 9, 10, 12 Or higher <b>(inch)</b>
	<b>Display</b>	In case two vehicles charging simultaneously, screen should display the information of charging for both vehicles
Warranty	<b>Warranty</b>	3, 4, 5 Or higher <b>(year)</b>
	<b>Battery Warranty</b>	3, 4, 5 Or higher <b>(year)</b>

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Anil Kumar Rai	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	800	30

**DC Electric Vehicle Charging Station ( 500 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Capacity of DC Charger</b>	>180 kW<=240 kW
Interface	<b>User Authentication</b>	RFID (Radio Frequency Identification), QR-Code Scanning, OTP based authentication by user for self servicing, Auto Charge through Vehicle MAC (Media Access Control) ID
	<b>Interface</b>	Ethernet, GSM - 3G (SIM support - machine to machine type), GSM - 4G (SIM support - machine to machine type), GSM - 5G (SIM support - machine to machine type), OCPP based Mobile App Interface, CMS based Mobile App Interface
	<b>All future upgradation with latest version user authentication and user interface protocols till the completion of warranty period included in scope of supply</b>	Yes
Backup Power	<b>Battery Backup in case of failure of Input Supply, this will include the complete control system, billing units</b>	120.0 - 120.0 Or higher ( <b>minute</b> )
	<b>In case of drain out, the data logs should automatically be synched with CMS (Customer Management System) during backup</b>	Yes
DC Output	<b>Type of Charger</b>	CCS2 (Combined Charging System)
	<b>Charging Output</b>	DC
	<b>Total Number of Output Ports per charger</b>	3 Or higher
	<b>Power factor</b>	0.98 Or higher
Splitter	<b>Splitter</b>	Splitter, for splitting the power output between Guns, which will allow automatic load distributions between the charging guns, i,e when only one gun is connected to the EV then the charger will dispense the follow outpost of full capacity to the EV and when more than one the charging guns are connected then the charger will be able to do auto load sequencing with equal load sharing between the connectors. Or higher
Metering	<b>Independent DC Energy Meter for each output and cumulative</b>	Yes
Memory	<b>Number of Logs</b>	1000.0 Or higher
	<b>Number of Charging Transactions</b>	50.0 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Thickness of Material of Sheet used for Panels and Enclosures in mm</b>	1.4 - 1.5 Or higher ( <b>millimeter</b> )
	<b>Display Type</b>	LCD, LED Or higher
	<b>Display Size</b>	10, 12 Or higher ( <b>inch</b> )
	<b>Display</b>	In case two vehicles charging simultaneously, screen should display the information of charging for both vehicles
Warranty	<b>Warranty</b>	3, 4, 5 Or higher ( <b>year</b> )
	<b>Battery Warranty</b>	3, 4, 5 Or higher ( <b>year</b> )

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Anil Kumar Rai	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	500	30

**DC Electric Vehicle Charging Station ( 500 pieces )**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Capacity of DC Charger</b>	<=30 kW, >30 kW<=60 kW, >60 kW<=120 kW, >120 kW<=180 kW, >180 kW<=240 kW, >240 kW
Interface	<b>User Authentication</b>	RFID (Radio Frequency Identification), QR-Code Scanning, OTP based authentication by user for self servicing, Auto Charge through Vehicle MAC (Media Access Control) ID
	<b>Interface</b>	Ethernet, GSM - 3G (SIM support - machine to machine type), GSM - 4G (SIM support - machine to machine type), GSM - 5G (SIM support - machine to machine type), OCPP based Mobile App Interface, CMS based Mobile App Interface

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>All future upgradation with latest version user authentication and user interface protocols till the completion of warranty period included in scope of supply</b>	Yes, No
Backup Power	<b>Battery Backup in case of failure of Input Supply, this will include the complete control system, billing units</b>	10 - 120 (minute)
	<b>In case of drain out, the data logs should automatically be synched with CMS (Customer Management System) during backup</b>	Yes, No
DC Output	<b>Type of Charger</b>	GB/T Charger, CHAdeMO, DC001, CCS2 (Combined Charging System)
	<b>Charging Output</b>	AC, DC
	<b>Total Number of Output Ports per charger</b>	1, 2, 3 Or higher
	<b>Power factor</b>	Above 0.98
Splitter	<b>Splitter</b>	Splitter, for splitting the power output between Guns, which will allow automatic load distributions between the charging guns, i.e when only one gun is connected to the EV then the charger will dispense the follow outpost of full capacity to the EV and when more than one the charging guns are connected then the charger will be able to do auto load sequencing with equal load sharing between the connectors., NA Or higher
Metering	<b>Independent DC Energy Meter for each output and cumulative</b>	Yes, No
Memory	<b>Number of Logs</b>	Above 50
	<b>Number of Charging Transactions</b>	Above 50
Construction	<b>Thickness of Material of Sheet used for Panels and Enclosures in mm</b>	0.6 - 1.5 (millimeter)
	<b>Display Type</b>	LCD, LED Or higher
	<b>Display Size</b>	5, 7, 9, 10, 12 Or higher (inch)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Display</b>	KW hr consumed while charging, Date and time in DD/MM/YYYY, HH:MM, Total KW hr consumed ( Totaliser) - On selection thru key pad/touchscreen, Output DCV and Amp while charging, Event logs- On selection basis thru keypad, All error logs on selection basis, Price per unit, Total amount incremented during charging, In case two vehicles charging simultaneously, screen should display the information of charging for both vehicles
Warranty	<b>Warranty</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>
	<b>Battery Warranty</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anil Kumar Rai	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	500	30

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.

- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

4. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Additional Terms & Conditions (ATC) for Price discovery of  
Electric Vehicle Chargers of  
12 kW (LECCS/LEVDC), 60 kW, 120kW , 240 kW and 360kW (  
CCS-II)**

Bureau of Energy Efficiency invites OEMs to quote price for various categories & Ratings of EV chargers listed below:

S. No.	Specification	Charger Type	Quantity nos.	Price per unit	Total Price
1	12 kW	LECCS	5,000		
2	12 kW	LEVDC	5,000		
3	60 kW	CCS-II	1,000		
4	120 kW	CCS-II	800		
5	240 kW	CCS-II	500		
6	360 kW	CCS-II	500		

1. The EV charger mentioned above should be tested in an NABL accredited laboratory to ensure compliance with following Indian Standards:
  - a. 12 kW LECCS as per BIS 17017 : Part 2 : Section 7
  - b. 12 kW LEVDC as per BIS 17017 : Part 2 : Section 6
  - c. 60 kW CCS-II as per BIS 17017 : Part 2 : Section 3
  - d. 120 kW CCS-II as per BIS 17017 : Part 2 : Section 3
  - e. 240 kW CCS-II as per BIS 17017 : Part 2 : Section 3
  - f. 360 kW CCS-II as per BIS 17017 : Part 2 : Section 3
2. All the EV charger shall preferably have 2(two) guns.
3. The price quoted shall include comprehensive AMC/warranty for a period of 3 years from the date of commissioning of EV charger.
4. Chargers shall comply with relevant provisions of Ministry of Power Guidelines for Installation and operation of Electric Vehicle Charging Infrastructure 2024 is mandatory.
5. The period of supply for the chargers would be 2 years.
6. OEMs have flexibility to quote against any category/rating of chargers specified above.

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई

का आधार होगा।

---Thank You/धन्यवाद---