

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-01-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-01-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Bureau Of Energy Efficiency
	Selection of Laboratories for Testing of Products/Material - Schedule -1 - Ceiling Fan (All Sweep Size); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule -2 (Direct Cool Refrigerator); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule -3 (Frost Free Refrigerator); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule -4 (Side by Side Refrigerator); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule -5 (Room Air Conditioner -Fixed Speed all Capacity); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule -6 ((Room Air Conditioner -Variable Speed all Capacity); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule -7 (Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Two Stage Capacity; As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 8 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Fixed Capacity; As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 9 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Multi Stage Capacity; As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 10 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Split Capacity; As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 11 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Unitary Capacity; As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 12 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Variable Capacity; As per RFP; As per RFP; As per RFP , Selection of

विड विवरण/Bid Details	Laboratories for Testing of Products/Material - Schedule - 13 (Light Commercial Air Conditioner-Fixed Speed; As per RFP;
वस्तु श्रेणी /Item Category	As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 14 (Light Commercial Air Conditioner-Variable Speed; As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 15 (Colour Television); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 16 (UHD Television); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 17 (LED Lamp); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 18 (Deep Freezer-all types); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 19 (Stationary Storage Type Electric Water Heater); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 20 (Washing Machine-All Types-All Capacity); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 21 (Distribution Transformer-up to 100kVA); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 22 (Distribution Transformer-From 101 kVA to 500kVA); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 23 (Distribution Transformer-From 501 kVA to 1000 kVA); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 24 (Distribution Transformer-From 1001 kVA to 2500 kVA); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 25 (General Purpose Industrial Motor/Induction Motor); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 26 (Agricultural Pump Set-Open Well Submersible Pump Sets); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 27 (Agricultural Pump Set-Submersible Pump Sets); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 28 (Agricultural Pump Set-Mono-set Pumps); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 29 (Domestic LPG Gas Stove); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 30 (Computer); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 31 (Office Automation Products-Printers, Scanner, Copier, MFDs); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 32 (Solid State Inverter); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 33 (Microwave Oven); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 34 (Solar Water Heater); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 35 (Air Compressors); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 36 (High Energy Li-Battery); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 37 (Tyres/Tires); As per RFP; As per RFP; As per RFP , Selection

बिड विवरण/Bid Details	of Laboratories for Testing of Products/Material - Schedule - 38 (Pedestal Fan); As per RFP; As per RFP ,
	Selection of Laboratories for Testing of Products/Material - Schedule - 39 (Table/Wall Fan); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 40 (Induction Hob); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 41 (Solar photovoltaic module); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 42 (Commercial Beverage cooler); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 43 (Grid Connected Solar Inverter-Up to 20 kW); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 44 (Grid Connected Solar Inverter from 20 kW to 50 kW); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 45 (Grid Connected Solar Inverter from 50 kW to 125 kW); As per RFP; As per RFP; As per RFP , Selection of Laboratories for Testing of Products/Material - Schedule - 46 (Evaporative Air Coolers); As per RFP; As per RFP; As per RFP
अनुबंध अवधि /Contract Period	3 Year(s)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	30 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
इसी तरह की सेवाओं का पिछला आवश्यक अनुभव है/Past Experience of Similar Services required	Yes
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया जाना चाहिए। / Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	10 Days
अनुमानित बिड मूल्य /Estimated Bid Value	2820506
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Years of Past Experience required: The bidder must have experience for number of years as indicated above in bid document (ending month of March prior to the bid opening) of providing similar type of services to any Central / State Govt Organization / PSU. Copies of relevant contracts / orders to be uploaded along with bid in support of having provided services during each of the Financial year.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. The buyers are advised to refer to the [OM No.1_4_2021_PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if the credentials of the service provider are validated online in GeM profile as well as validated and approved by the Buyer after evaluation of submitted documents.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Experience of Similar Services: The bidder must have successfully executed/completed similar Services over the last three years i.e. the current financial year and the last three financial years(ending month of March prior to the bid opening): -
 1. Three similar completed services costing not less than the amount equal to 40% (forty percent) of the estimated cost; or
 2. Two similar completed services costing not less than the amount equal to 50% (fifty percent) of the estimated cost; or
 3. One similar completed service costing not less than the amount equal to 80% (eighty percent) of the estimated cost.

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Payment Terms as applicable:As per RFP

Accreditation Documents of the desired labs:As per RFP

Scope of Work including testing schedule , detailed requirements of tests:[1768219333.pdf](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluatio n Schedules	अनुमानित मूल्य / Estimat ed Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	3500	Selection Of Laboratories For Testing Of Products/material - Schedule -1 - Ceiling Fan (all Sweep Size); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 2	49558	Selection Of Laboratories For Testing Of Products/material - Schedule -2 (direct Cool Refrigerator); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 3	49558	Selection Of Laboratories For Testing Of Products/material - Schedule -3 (frost Free Refrigerator); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 4	49558	Selection Of Laboratories For Testing Of Products/material - Schedule -4 (side By Side Refrigerator); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 5	103342	Selection Of Laboratories For Testing Of Products/material - Schedule -5 (room Air Conditioner -fixed Speed All Capacity); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 6	166232	Selection Of Laboratories For Testing Of Products/material - Schedule -6 ((room Air Conditioner -variable Speed All Capacity); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 7	202328	Selection Of Laboratories For Testing Of Products/material - Schedule - 7 (room Air Conditioner -cassette, Floor Standing Tower, Ceiling Corner Ac)- Two Stage Capacity; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 8	116794	Selection Of Laboratories For Testing Of Products/material - Schedule - 8 ((room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner Ac)- Fixed Capacity; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 9	256880	Selection Of Laboratories For Testing Of Products/material - Schedule - 9 ((room Air Conditioner -cassette, Floor Standing Tower, Ceiling Corner Ac)- Multi Stage Capacity; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 10	136585	Selection Of Laboratories For Testing Of Products/material - Schedule - 10 ((room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner Ac)- Split Capacity; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 11	116794	Selection Of Laboratories For Testing Of Products/material - Schedule - 11 ((room Air Conditioner -cassette, Floor Standing Tower, Ceiling Corner Ac)- Unitary Capacity; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 12	174889	Selection Of Laboratories For Testing Of Products/material - Schedule - 12 ((room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner Ac)- Variable Capacity; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1

Schedule 13	136585	Selection Of Laboratories For Testing Of Products/material - Schedule - 13 (Light Commercial Air Conditioner-fixed Speed; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 14	147498	Selection Of Laboratories For Testing Of Products/material - Schedule - 14 (light Commercial Air Conditioner-variable Speed; As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 15	5664	Selection Of Laboratories For Testing Of Products/material - Schedule - 15 (colour Television); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 16	6500	Selection Of Laboratories For Testing Of Products/material - Schedule - 16 (uhd Television); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 17	24898	Selection Of Laboratories For Testing Of Products/material - Schedule - 17 (led Lamp); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 18	52557	Selection Of Laboratories For Testing Of Products/material - Schedule - 18 (deep Freezer-all Types); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 19	3000	Selection Of Laboratories For Testing Of Products/material - Schedule - 19 (stationary Storage Type Electric Water Heater); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 20	70800	Selection Of Laboratories For Testing Of Products/material - Schedule - 20 (washing Machine-all Types-all Capacity); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 21	43070	Selection Of Laboratories For Testing Of Products/material - Schedule - 21 (distribution Transformer-up To 100kva); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 22	50150	Selection Of Laboratories For Testing Of Products/material - Schedule - 22 (distribution Transformer- From 101 Kva To 500kva); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 23	57820	Selection Of Laboratories For Testing Of Products/material - Schedule - 23 (distribution Transformer- From 501 Kva To 1000 Kva); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 24	64900	Selection Of Laboratories For Testing Of Products/material - Schedule - 24 (distribution Transformer- From 1001 Kva To 2500 Kva); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 25	5000	Selection Of Laboratories For Testing Of Products/material - Schedule - 25 (general Purpose Industrial Motor/induction Motor); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1

Schedule 26	7600	Selection Of Laboratories For Testing Of Products/material - Schedule - 26 (agricultural Pump Set- Open Well Submersible Pump Sets); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 27	26000	Selection Of Laboratories For Testing Of Products/material - Schedule - 27 (agricultural Pump Set- Submersible Pump Sets); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 28	11300	Selection Of Laboratories For Testing Of Products/material - Schedule - 28 (agricultural Pump Set-mono-set Pumps); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 29	1298	Selection Of Laboratories For Testing Of Products/material - Schedule - 29 (domestic Lpg Gas Stove); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 30	4484	Selection Of Laboratories For Testing Of Products/material - Schedule - 30 (computer); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 31	5310	Selection Of Laboratories For Testing Of Products/material - Schedule - 31 (office Automation Products-printers, Scanner, Copier, Mfds); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 32	8496	Selection Of Laboratories For Testing Of Products/material - Schedule - 32 (solid State Inverter); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 33	14450	Selection Of Laboratories For Testing Of Products/material - Schedule - 33 (microwave Oven); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 34	30000	Selection Of Laboratories For Testing Of Products/material - Schedule - 34 Solar Water Heater); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 35	65000	Selection Of Laboratories For Testing Of Products/material - Schedule - 35 (air Compressors); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 36	180000	Selection Of Laboratories For Testing Of Products/material - Schedule - 36 (high Energy Li-battery); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 37	40000	Selection Of Laboratories For Testing Of Products/material - Schedule - 37 (tyres/tires); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 38	3304	Selection Of Laboratories For Testing Of Products/material - Schedule - 38 (pedestal Fan); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1

Schedule 39	3304	Selection Of Laboratories For Testing Of Products/material - Schedule - 39 (table/wall Fan); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 40	20000	Selection Of Laboratories For Testing Of Products/material - Schedule - 40 (induction Hob); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 41	4500	Selection Of Laboratories For Testing Of Products/material - Schedule - 41 (solar Photovoltaic Module); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 42	120000	Selection Of Laboratories For Testing Of Products/material - Schedule - 42 (commercial Beverage Cooler); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 43	35000	Selection Of Laboratories For Testing Of Products/material - Schedule - 43 (grid Connected Solar Inverter-up To 20 Kw); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 44	47000	Selection Of Laboratories For Testing Of Products/material - Schedule - 44 (grid Connected Solar Inverter From 20 Kw To 50 Kw); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 45	64000	Selection Of Laboratories For Testing Of Products/material - Schedule - 45 (grid Connected Solar Inverter From 50 Kw To 125 Kw); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1
Schedule 46	35000	Selection Of Laboratories For Testing Of Products/material - Schedule - 46 (evaporative Air Coolers); As Per Rfp; As Per Rfp; As Per Rfp	Number of unit of product/material (as per selected UOM) during contract period : 1

Selection Of Laboratories For Testing Of Products/Material - Schedule -1 - Ceiling Fan (All Sweep Size); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule -1 - Ceiling Fan (All Sweep Size)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	

विवरण/ Specification	मूल्य/ Values
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule -2 (Direct Cool Refrigerator); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule -2 (Direct Cool Refrigerator)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule -3 (Frost Free Refrigerator); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule -3 (Frost Free Refrigerator)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडजॉन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule -4 (Side By Side Refrigerator); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule -4 (Side by Side Refrigerator)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
-------------------	---	-------------	---	---

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule -5 (Room Air Conditioner -Fixed Speed All Capacity); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule -5 (Room Air Conditioner -Fixed Speed all Capacity)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule -6 ((Room Air Conditioner -Variable Speed All Capacity); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule -6 ((Room Air Conditioner -Variable Speed all Capacity)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 7 (Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Two Stage Capacity; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 7 (Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Two Stage Capacity
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 8 ((Room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner AC)- Fixed Capacity; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 8 ((Room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner AC)- Fixed Capacity
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 9 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Multi Stage Capacity; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 9 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Multi Stage Capacity
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 10 ((Room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner AC)- Split Capacity; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 10 ((Room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner AC)- Split Capacity
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 11 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Unitary Capacity; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 11 ((Room Air Conditioner -Cassette, Floor Standing Tower, Ceiling Corner AC)- Unitary Capacity
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 12 ((Room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner AC)- Variable Capacity; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 12 ((Room Air Conditioner - Cassette, Floor Standing Tower, Ceiling Corner AC)- Variable Capacity
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 13 (Light Commercial Air Conditioner-Fixed Speed; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 13 (Light Commercial Air Conditioner-Fixed Speed
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 14 (Light Commercial Air Conditioner-Variable Speed; As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 14 (Light Commercial Air Conditioner-Variable Speed
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 15 (Colour Television); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 15 (Colour Television)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
-------------------	---	-------------	---	---

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 16 (UHD Television); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 16 (UHD Television)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 17 (LED Lamp); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 17 (LED Lamp)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 18 (Deep Freezer-all Types); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 18 (Deep Freezer-all types)

विवरण/ Specification	मूल्य/ Values
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 19 (Stationary Storage Type Electric Water Heater); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 19 (Stationary Storage Type Electric Water Heater)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP

विवरण/ Specification	मूल्य/ Values
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 20 (Washing Machine-All Types-All Capacity); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 20 (Washing Machine-All Types-All Capacity)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	

विवरण/ Specification	मूल्य/ Values
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 21 (Distribution Transformer-up To 100kVA); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 21 (Distribution Transformer-up to 100kVA)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066, 4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 22
(Distribution Transformer- From 101 KVA To 500kVA); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 22 (Distribution Transformer- From 101 kVA to 500kVA)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 23
(Distribution Transformer- From 501 KVA To 1000 KVA); As Per RFP; As Per RFP; As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 23 (Distribution Transformer- From 501 kVA to 1000 kVA)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 24
(Distribution Transformer- From 1001 KVA To 2500 KVA); As Per RFP; As Per RFP; As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 24 (Distribution Transformer- From 1001 kVA to 2500 kVA)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 25 (General Purpose Industrial Motor/Induction Motor); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 25 (General Purpose Industrial Motor/Induction Motor)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 26
(Agricultural Pump Set- Open Well Submersible Pump Sets); As Per RFP; As Per RFP;
As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 26 (Agricultural Pump Set- Open Well Submersible Pump Sets)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 27
(Agricultural Pump Set- Submersible Pump Sets); As Per RFP; As Per RFP; As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 27 (Agricultural Pump Set- Submersible Pump Sets)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 28
(Agricultural Pump Set-Mono-set Pumps); As Per RFP; As Per RFP; As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 28 (Agricultural Pump Set-Mono-set Pumps)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
-------------------	---	-------------	---	---

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 29 (Domestic LPG Gas Stove); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 29 (Domestic LPG Gas Stove)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 30 (Computer); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 30 (Computer)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 31 (Office Automation Products-Printers, Scanner, Copier, MFDs); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	

विवरण/ Specification	मूल्य/ Values
Broad classification of product/material as per NABL classification	Schedule - 31 (Office Automation Products-Printers, Scanner, Copier, MFDs)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 32 (Solid State Inverter); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 32 (Solid State Inverter)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP

विवरण/ Specification	मूल्य/ Values
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 33 (Microwave Oven); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 33 (Microwave Oven)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	

विवरण/ Specification	मूल्य/ Values
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 34 Solar Water Heater); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 34 Solar Water Heater)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 35 (Air Compressors); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 35 (Air Compressors)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
-------------------	---	-------------	---	---

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 36 (High Energy Li-Battery); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 36 (High Energy Li-Battery)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 37
(Tyres/Tires); As Per RFP; As Per RFP; As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 37 (Tyres/Tires)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 38 (Pedestal Fan); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 38 (Pedestal Fan)

विवरण/ Specification	मूल्य/ Values
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 39 (Table/Wall Fan); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 39 (Table/Wall Fan)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP

विवरण/ Specification	मूल्य/ Values
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N O.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/material (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 40 (Induction Hob); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 40 (Induction Hob)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 41 (Solar Photovoltaic Module); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 41 (Solar photovoltaic module)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

**Selection Of Laboratories For Testing Of Products/Material - Schedule - 42
(Commercial Beverage Cooler); As Per RFP; As Per RFP; As Per RFP (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 42 (Commercial Beverage cooler)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्ट दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
-------------------	---	-------------	---	---

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 43 (Grid Connected Solar Inverter-Up To 20 KW); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 43 (Grid Connected Solar Inverter-Up to 20 kW)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 44 (Grid Connected Solar Inverter From 20 KW To 50 KW); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 44 (Grid Connected Solar Inverter from 20 kW to 50 kW)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 45 (Grid Connected Solar Inverter From 50 KW To 125 KW); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 45 (Grid Connected Solar Inverter from 50 kW to 125 kW)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

Selection Of Laboratories For Testing Of Products/Material - Schedule - 46 (Evaporative Air Coolers); As Per RFP; As Per RFP; As Per RFP (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Broad classification of product/material as per NABL classification	Schedule - 46 (Evaporative Air Coolers)
Technical specifications of product/material selected above	As per RFP
Measurement Unit	As per RFP
Type of tests required	As per RFP
Details of tests required	As per RFP
Eligible testing lab	As per RFP
Reports required	As per RFP
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Details regarding location of testing	As per the location of Lab across the India

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of unit of product/mat erial (as per selected UOM) during contract period	अतिरिक्त आवश्यकता /Additional Requirement
1	Abhinav Kumar Tamta N	110066,4th Floor, SEWA Bhawan, R.K.Puram, Sec 1	1	N/A

क्रेता द्वारा जोड़ी गई बिट की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. Generic

OPTION CLAUSE: The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration

2. Generic

Registration / Empanelment Requirement: Contract shall be awarded to only such sellers , who are registered / empanelled / approved / enlisted with

NABL

for the required goods / service category on the date of bid opening. Prospective bidders (if not already registered), are advised to get themselves registered with the said registration authority before bid opening date. (It is certified that the registration is granted by the registering agency as per Rule 150 of GFR following a fair, transparent and reasonable procedure.)

3. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Any ATC clause in contravention with GeM GTC Clause 4 (xiii)(h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
16. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
17. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate

action in accordance with the contract and applicable law.

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---